

SHORT COMMUNICATION

WHO-IUIS Nomenclature Subcommittee for immunoglobulins and T cell receptors report August 2007, 13th International Congress of Immunology, Rio de Janeiro, Brazil

Marie-Paule Lefranc^{a,b,*}

^aIMGT[®], The international ImMunoGeneTics information system[®], Laboratoire d'ImmunoGénétique Moléculaire, LIGM, Institut de Génétique Humaine, IGH, UPR CNRS 1142, 141 rue de la Cardonille, 34396 Montpellier Cedex 5, France ^bInstitut Universitaire Universitaire de France, 103 Bd Saint-Michel, 75005 Paris, France Available online 6 November 2007

1. The WHO-IUIS Nomenclature Subcommittee

Members of the WHO-IUIS Nomenclature Subcommitee/IMGT Nomenclature (IMGT-NC) SubCommittee for immunoglobulins (IG) and T cell receptors (TR): Donald Capra (USA), Max Cooper (USA), Tasuku Honjo (Japan), Leroy Hood (USA), Gérard Lefranc (France), Marie-Paule Lefranc (France), Fumihiko Matsuda (Japan), Hans Zachau (Germany).

Experts 2006–2007: Cynthia L. Baldwin (USA), Eva Bengtén (USA), Pierre Boudinot (France), Deborah Dunn-Walters (UK), Jean-Pol Frippiat (France), Evelyne Jouvin-Marche (France), Serge Muyldermans (Belgium), Bettina Wagner (USA).

Standing Committee for immunoglobulins and T cell receptors: Marie-Paule Lefranc, IMGT, Laboratoire d'ImmunoGénétique Moléculaire, Université Montpellier 2 and UPR CNRS, Institut de Génétique Humaine, Montpellier, France, Marie-Paule.Lefranc@igh.cnrs.fr.

Since the creation of IMGT[®], the international ImMuno-GeneTics information system[®], http://imgt.cines.fr, in

E-mail address: Marie-Paule.Lefranc@igh.cnrs.fr *URL*: IMGT®: http://imgt.cines.fr 1989, at New Haven, during the 10th Human Genome Mapping Workshop (HGM10), the standardized classification and nomenclature of the IG and TR of human and other vertebrate species have been under the responsibility of the IMGT Nomenclature Committee (IMGT-NC). In 1995, following the first demonstration on-line of the nucleotide database IMGT/LIGM-DB at the 9th International Congress of Immunology in San Francisco, the IMGT-NC SubCommittee for immunoglobulins and T cell receptors has become the WHO-IUIS Nomenclature SubCommittee.

The WHO-IUIS Nomenclature SubCommittee for immunoglobulins and T cell receptors works in close collaboration with the IMGT-NC SubCommittee for the immunoglobulin superfamily (IgSF) and the major histocompatibility complex superfamily (MhcSF), the Human Genome Organisation (HUGO) Nomenclature Committee (HGNC), the Mouse Genomic Nomenclature Committee (MGNC), the Nomenclature Committees of newly sequenced genomes, the national and international Immunology, Immunogenetics and Genetics Societies, the editors and publishers for recommendations to authors.

2. The IMGT-ONTOLOGY axioms and concepts

The WHO-IUIS Nomenclature SubCommittee for Immunoglobulins and T cell receptors follows the rules for the nomenclatures, as described in the IMGT Scientific chart,

^{*}Corresponding author. IMGT[®], The international ImMunoGeneTics information system[®], Laboratoire d'ImmunoGénétique Moléculaire, LIGM, Institut de Génétique Humaine, IGH, UPR CNRS 1142, 141 rue de la Cardonille, 34396 Montpellier Cedex 5, France. Tel.: +33499619965; fax: +33499619928.

⁰¹⁴⁵⁻³⁰⁵X/ $\$ -see front matter @ 2007 Elsevier Ltd. All rights reserved. doi:10.1016/j.dci.2007.09.008

462

http://imgt.cines.fr [1]. These rules are based on the concepts of IMGT-ONTOLOGY [2,3], the first ontology in immunogenetics and immunoinformatics. IMGT-ONTOLOGY manages the immunogenetics knowledge through diverse facets relying on seven axioms, "IDENTIFICATION", "DESCRIPTION". "CLASSIFICATION", "NUMEROTATION". "LOCALIZATION", "ORIENTATION" and "OBTENTION", that postulate that objects, processes and relations have to be identified, described, classified, numerotated, localized, orientated, and that the way they are obtained has to be determined. These axioms constitute the Formal IMGT-ONTOLOGY, also designated as IMGT-Kaleidoscope (Figure 1).

The CLASSIFICATION axiom has generated the concepts of classification, which have been necessary to propose a standardized nomenclature for the IG and TR genes. These concepts take into account the highly polymorphic multi-genic loci and families to which the IG and TR belong, their rearrangements and their allelic polymorphisms. These concepts are used whatever the antigen receptor (IG or TR), whatever the locus (for mammals, for example, IG heavy (IGH), IG kappa (IGK), IG lambda (IGL), TR alpha (TRA), TR beta (TRB), TR gamma (TRG) and TR delta (TRD)), whatever the gene configuration (germline, undefined or rearranged), and whatever the species, from fish to

human. Among the concepts of classification, the "Group", "Subgroup", "Gene" and "Allele" concepts are essential.

2.1. The "Group" and "Subgroup" concepts

The "Group" concept classifies a set of genes that belong to the same multigene family, within the same species or between different species. For the IG and TR, the set of genes is identified by an instance of the "GeneType" concept (V, D, J or C). The "Subgroup" concept classifies a subset of genes that belong to the same group, and which, in a given species, share at least 75% of identity at the nucleotide sequence level (and in the germline configuration for the V, D and J genes) (Figure 2).

2.2. The "Gene" and "Allele" concepts

The "Gene" concept classifies a unit of DNA sequence that can be potentially transcribed and/or translated (this definition includes the regulatory elements in 5' and 3', and the introns, if present). The instances of the "Gene" concept are gene names. In IMGT-ONTOLOGY, a gene name is composed of the name of the species (instance of the Taxon "Species" concept) and of the international HGNC/IMGT




Figure 1 Axioms of the formal IMGT-ONTOLOGY or IMGT-Kaleidoscope.




Figure 2 Concepts of classification for gene and allele nomenclature (CLASSIFICATION axiom). (A) Hierarchy of the concepts of classification and their relations. (B) Examples of concept instances for each concept of classification. The concept instances are associated with an instance of the "Taxon" concept, and more precisely for the "Gene" and "Allele" concepts with an instance of the "Species" concept (here, *Homo sapiens*). The "Locus" concept is a concept of localization (LOCALIZATION axiom).

gene symbol, for example, *Homo sapiens* IGHV1-2 (human IG heavy variable 1–2) (Figure 2). By extension, orphons and pseudogenes are also instances of the "Gene" concept. The "Allele" concept classifies a polymorphic variant of a gene. The instances of the "Allele" concept are allele names. Alleles identified by the mutations of the nucleotide sequence are classified by reference to allele *01. Full description of mutations and allele name designations are currently recorded for the core sequences (V-REGION, D-REGION, J-REGION, C-REGION).

3. Immunoglobulin and T cell receptor genes and alleles

3.1. Brief history

The IMGT[®] gene nomenclature has been approved at the international level by the Human Genome Organisation (HUGO) Nomenclature Committee (HGNC), in 1999. The IMGT[®] genes were entered in the Genome Database (GDB) and in LocusLink at the National Center for Biotechnology Information (NCBI) in 1999–2000, and in Entrez Gene (NCBI) [4], when this gene database superseded LocusLink. Two FactsBooks on the human IG and TR genes and alleles were published in 2001 [5,6]. The IMGT-NC received the official delegation from HGNC for the IG and TR gene and allele nomenclature in 2002 [7]. In order to manage the IG and TR genes and alleles, IMGT/GENE-DB, the first IMGT genome database, was created in January 2003 [8]. The IMGT[®] IG and TR gene names are the official references for the genome projects and, as such, have been integrated in the MapViewer at NCBI and, in 2006, in the Ensembl server at the European Bioinformatics Institute (EBI).

3.2. Present situation

The IG and TR genes and alleles are managed in the IMGT/ GENE-DB, which allows a search per gene name, based on the CLASSIFICATION concept of IMGT-ONTOLOGY, and which includes links to IMGT/LIGM-DB, IMGT Repertoire and external databases. Links on individual entries between IMGT, GDB, Entrez Gene and GeneCards have been established. In August 2007, IMGT/GENE-DB contains 1645 genes (673 from human and 972 from mouse) and 2598 alleles (1217 from human and 1381 from mouse). It comprises genes and alleles for the seven loci (IGH, IGK, IGL, TRA, TRB, TRG and TRD). The IG and/or TR genes from 50 other species are currently available in the IMGT Repertoire in "Gene tables" and in "Alignment of alleles". For genes not yet localized in the loci or for incomplete loci, a provisional nomenclature has been assigned. With the completion of the genomes and the sequence annotation, these genes will be progressively entered in IMGT/GENE-DB.

4. Conclusion and perspectives

The standardization of the IG and TR genes and alleles by the IMGT-NC and the WHO-IUIS Nomenclature SubCommittee

for immunoglobulins and T cell receptors represents a major breakthrough in immunogenetics. This has been translated in the IMGT[®] databases, tools and Web resources through the huge work performed by the IMGT[®] team and its constant motivation and expertise [9]. These combined efforts contributed to make IMGT[®], the international ImMunoGeneTics information system[®], http://imgt. cines.fr, the global reference in immunogenetics and immunoinformatics. The IMGT[®] Web server at Montpellier receives more than 150,000 requests per month, from Europe, the USA and the rest of the world. IMGT[®] is widely used by clinicians and biological scientists from both academic and industrial laboratories, in diverse research domains: (i) fundamental and medical research (repertoire analysis of the IG antibody sites and of the TR recognition sites in normal and pathological situations, such as autoimmune diseases, infectious diseases, AIDS, leukemias, lymphomas, myelomas), (ii) veterinary research (IG and TR repertoires in farm and wildlife species), (iii) genome diversity and genome evolution studies of the adaptive responses, (iv) structural evolution of the IgSF and MhcSF proteins, (v) biotechnology related to antibody engineering (single chain Fragment variable (scFv), phage displays, combinatorial libraries, chimeric, humanized and human antibodies), (vi) diagnostics (clonalities, detection and follow-up of residual diseases) and (vii) therapeutical approaches (grafts, immunotherapy, vaccinology).

References

- [1] Lefranc M-P, Giudicelli V, Kaas Q, Duprat E, Jabado-Michaloud J, Scaviner D, et al. IMGT, the international ImMunoGeneTics information system[®]. Nucl Acids Res 2005;33:D593–7.
- [2] Giudicelli V, Lefranc M-P. Ontology for immunogenetics: IMGT-ONTOLOGY. Bioinformatics 1999;15:1047–54.
- [3] Lefranc M.-P, Giudicelli V, Ginestoux C, Bosc N, Folch G, Guiraudou D, et al. IMGT-ONTOLOGY for immunogenetics and immunoinformatics, http://imgt.cines.fr. In Silico Biol 2004;4:17–29. Epub 2003, 0004, 22 Nov 2003.
- [4] Maglott D, Ostell J, Pruitt KD, Tatusova T. Entrez Gene: gene-centered information at NCBI. Nucl Acids Res 2007;35: D26–31.
- [5] Lefranc M-P, Lefranc G. The immunoglobulin factsbook. New York: Academic Press; 2001. 458p.
- [6] Lefranc M-P, Lefranc G. The T cell receptor factsbook. New York: Academic Press; 2001. 398p.
- [7] Wain HM, Bruford EA, Lovering RC, Lush MJ, Wright MW, Povey S. Guidelines for human gene nomenclature. Genomics 2002;79: 464–70.
- [8] Giudicelli V, Chaume D, Lefranc M-P. IMGT/GENE-DB: a comprehensive database for human and mouse immunoglobulin and T cell receptor genes. Nucl Acids Res 2005;33: D256-61.
- [9] Duroux P, Giudicelli V, Kaas Q, Jabado-Michaloud J, Folch G, Ginestoux C, et al. IMGT[®], the international ImMunoGeneTics information system[®], the reference in immunogenetics and immunoinformatics. In: Fattoum A, editor. Proceedings of the first international congress on macromolecular biochemistry and genetics. Tunisia: Gafsa; 12–16 April 2007, in press.