


Study of the expressed repertoires of the adaptive immune responses: example of mouse T cell receptors

Myriam Croze



<https://www.imgt.org>



Immunological Genome
Project



Open Source immgenT





IMGT® (International ImmunoGenetics information system) provides databases and tools based on the IMGT-ONTOLOGY for in-depth exploration of the adaptive immune response.

Axis I


Understanding the adaptive immune response by deciphering the immunoglobulins (IG) and T cell receptor (TR) genes on the genomic loci of jawed vertebrates.

Axis II

Analysis and exploration of the expressed IG and TR repertoires based on comparison with IMGT reference directories in normal and pathological situations.

Axis III

2D and 3D structure databases and tools for analysis of the adaptive immune proteins and engineered antibodies and TR.



IMGT® (International ImmunoGenetics information system) provides databases and tools based on the IMGT-ONTOLOGY for in-depth exploration of the adaptive immune response.

Axis I


Understanding the adaptive immune response by deciphering the immunoglobulins (IG) and T cell receptor (TR) genes on the genomic loci of jawed vertebrates.

Axis II

Analysis and exploration of the expressed IG and TR repertoires based on comparison with IMGT reference directories in normal and pathological situations.

Axis III

2D and 3D structure databases and tools for analysis of the adaptive immune proteins and engineered antibodies and TR.






➤ Collaboration between **IMGT**[®] and **immgenT project** to study the expressed T cell receptor (TR) repertoires of the adaptive immune response in mouse

- Principal investigator of the project: **Pr. Christophe Benoist** from Harvard Medical School (HMS)
- Collaboration with **Dr. Liang Yang** from HMS, and **Dr. Serge Candéias** from the CEA.
- The project includes 90 participants from 31 labs

- Single cells RNAseq data from mouse (C57BL/6J strain) under various conditions:
 - Different tissues
 - Different infections (virus, bacteria, ...)
 - Different ages
 - Cancer
 -






- Fasta files for each chain are analysed with IMGT/HighV-QUEST to get the 11 output files.
- Analyses and visualization of the data

IMGT analysis based on the IMGT standards

Data preprocessing



scRNA-seq
VDJC
amplicons



raw data
reads
assembly



FASTA/FASTQ
files



IMGT/HighV-QUEST
for repertoire analysis



output files
~540 fields
per sequence



Clonotype
evaluation



Data
visualization

Tool to analyse immunoglobulin and T cell receptor repertoires and V-(D)-J rearrangement



Identifies the germline V, D and J genes and alleles

1. Alignment for V-GENE and allele identification

Closest V-REGIONS (evaluated from the V-REGION first nucleotide to the 2nd-CYS codon)

		Score	Identity
L06615	Homsap IGHV3-30*04 F	1260	93.06% (268/288 nt)
KC713945	Homsap IGHV3-30-3*03 F	1260	93.06% (268/288 nt)
M83134	Homsap IGHV3-30*01 F	1251	92.71% (267/288 nt)
M77300	Homsap IGHV3-30*09 F	1251	92.71% (267/288 nt)
M77324	Homsap IGHV3-30*14 F	1251	92.71% (267/288 nt)

Alignment with [FR-IMGT](#) and [CDR-IMGT](#) delimitations

	<----- FR1-IMGT ----->
AB012909	gagggtgcagctgttggagctctggggga...gpcgtggtccagcctgggaggtccctgaga
L06615 Homsap IGHV3-30*04 F	C-----g-----
KC713945 Homsap IGHV3-30-3*03 F	C-----g-----
M83134 Homsap IGHV3-30*01 F	C-----g-----
M77300 Homsap IGHV3-30*09 F	C-----g-----
M77324 Homsap IGHV3-30*14 F	C-----g-----

Analyses of the V-(D)-J junction (IMGT/JunctionAnalysis)

Analysis of the JUNCTION

D-REGION is in reading frame 1

Click on mutated (underlined) nucleotide to see the original one:

Input	V name	3'V-REGION	N1	D-REGION	N2	5'J-REGION	J name	D name	Vmut	Dmut	Jmut	Ngc	JUNCTION	decription
AB012909	Homsap_IGHV3-30*04_F	tgtgcgag...	gacagctttt	acgcctatgactctgg	Homsap_IGHJ4*02_F	Homsap_IGHD5-18*01_F	0	3	2	4/5	(8)-3(1)-6(13)-1(4)-4(13)	

Translation of the JUNCTION

Click on mutated (underlined) amino acid to see the original one:

	104	105	106	107	108	109	110	113	114	115	116	117	118	Frame	CDR3- IMGT length	Molecular mass	pI	PhysicoChemical Descriptor
AB012909	tgt	gcg	agg	aca	gct	ttc	ttt	aac	gcc	tgt	gac	ttc	tgg	+	11	1,611.8	6.15	CARTAFFNAYDEW

Be aware that some allele reference sequences may be incomplete or from cDNAs. In those cases, IMGT/JunctionAnalysis uses automatically the allele *01 for the analysis of the JUNCTION.

Description of mutations

9. V-REGION mutation and AA change table

FR1-IMGT	CDR1-IMGT	FR2-IMGT	CDR2-IMGT	FR3-IMGT	CDR3-IMGT
c1>g, Q1>E (+ +)	g112>c, A38>P (- -)	c118>a, H40>T (- -)	t177>c, D59	c198>t, Y66	a318>g, R106
g13>t, V5>L (+ +)		a119>c, H40>T (+ -)	a190>t, N64>Y (- -)	t199>a, Y67>K (- -)	g319>a
g70>a, A24>I (+ +)		g163>a, V55>S (- -)		c201>g, Y67>K (- -)	a320>c
c71>t, A24>I (+ +)		t164>g, V55>S (- -)		c203>t, A68>V (+ +)	
				g211>a, V71>M (+ -)	
				t226>c, F76>L (+ -)	
				c265>t, L89	
				c268>g, Q90>E (+ +)	
				g284>c, R95>T (- -)	

Full annotation of the V-DOMAIN

13. Annotation by IMGT/Automat



Label	Location/Qualifiers
V-D-J-REGION	1..355 /CDR_length="[8.8.11]" /FR_length="[25.17.38.11]" /nucleotide sequence gagggtgcagctgttggagctctggggaggcgtggtccagcctgggaggtccctgagactc fcctgtatagcctctggattcaccctcagtagctatcctatgacctgggtccgcccaggct ccaggcaagggtctggagctggggcgaagtatcatatgatcgaaggtataaataaag gtagactccatgaaggccgactcaccatctccagagacaattccaagaacacgctgtat ttggaatgaacagcctgacagctgaggacacggctgtgtattactgtgcgaggacagct ttctttaacgctatgactctctggggcagggaacctgggtcaccgtctcctcag /translation EVQLLESGGGVQVQGRSLRLSCIASGFTFSYPMTVWRQAPGKLEWVASISYDGSYKYK VDSMKGRLLTISRNSKNTLYLEMSLTAEDTAVYYCARTAFFNAYDFWGQGLVTVSS 1..293 /allele="Homsap IGHV3-30*04 F or Homsap IGHV3-30-3*03 F" /gene="Homsap IGHV3-30 or Homsap IGHV3-30-3" /nucleotide sequence gagggtgcagctgttggagctctggggaggcgtggtccagcctgggaggtccctgagactc fcctgtatagcctctgaattcaccctcagtagctatcctatgacctgggtccgcccaggct
V-REGION	



- Fasta files for each chain are analysed with IMGT/HighV-QUEST to get the 11 output files.
- Analyses and visualization of the data

IMGT analysis based on the IMGT standards

Data preprocessing






1. V and J genes abundance:

TRA V gene and allele composition in thymus



2. Preference for V-J genes pairing in chain rearrangement






1. V and J genes abundance:


TRA V gene and allele composition in thymus



2. Preference for V-J genes pairing in chain rearrangement



3. Nucleotide trimmed, N-diversity and Palindrome:






1. V and J genes abundance:


TRA V gene and allele composition in thymus



2. Preference for V-J genes pairing in chain rearrangement




3. Nucleotide trimmed, N-diversity and Palindrome:



4. CDR3-IMGT length distribution

- Outliers with short (< 7 AA) or long (>16 AA) CDR3
- Identification of unusual rearrangements





➤ **Identification of unusual rearrangements**

TRDD in TRA




TRDD with TRDJ1 in TRA



TRBD1 + TRBD2 in TRB



Germline segments (RSS) in TRA and TRB



Two V-REGION in TRA and TRB



Two J-REGION in TRA and TRB




Capture of unrelated germline sequence in TRA and TRB



➤ Conclusion

-> Collaboration IMGT and ImmgenT project: analysis of expressed TR repertoires in mouse with IMGT/HighV-QUEST tool and visualisation of data:

- Identification of V, D and J genes and alleles
- V-(D)-J junction analysis: nucleotide trimmed, N-diversity, palindrome and CDR3 length
- Unusual rearrangements identified: two J or V genes, germline segments, TRDD gene in alpha, etc



<https://www.imgt.org>

Pr. Sofia Kossida

Dr. Véronique Giudicelli

Dr. Nika Abdollahi

Thank you for your attention



Immunological Genome
Project



Open Source **immgenT**



<https://www.immgen.org/ImmGenT/>

Pr. Christophe Benoist

Dr. Liang Yang

Dr. David Zemmour

Dr. Serge Candéias



Conflict of interest disclosure

I have no potential conflict of interest to report

I have the following potential conflict(s) of interest to report:

.....
.....
.....

In accordance with UEMS 2023/07 “EACCME® criteria for the Accreditation of Live Educational Events (LEEs)”, all faculty and other speakers at this scientific event have disclosed, or will disclose, any perceived or actual conflict of interest. This will be published, and stated at the beginning of their presentation(s).



IUUIS 2025 VIENNA

19th International Congress of Immunology
August 17–22, 2025 | Vienna Austria

supported by 
Austrian Society for
Allergology and Immunology

Local Congress Organizers:

Rudolf Valenta (Congress President)

Wilfried Ellmeier, Barbara Bohle

Medical University of Vienna, Austria